

Smart valve positioner, Valve Positioner, HART, display, advanced diagnostic

SRD998

Main

Range of Product	Valve Positioners
Product or Component Type	Valve positioner
Communication port protocol	HART, 420 mA
Market Segment	Process industry

Complementary

•		
Housing material	Aluminium alloy Powder coated	
Pneumatic connection type	0.25 inch 18 NPT G 1/4	
Thread type	M20 x 1.5 1/2" NPT	
Network and machine diagnosis type	Auto diagnostic Step response analysis Position and response histogramms	
Input pressure	1.410 bar	
Maximum pressure	10 bar 150 psi	
Stroke range	2260 mm	
Maximum hysteresis	0.3 %	
Linearity	< 0.6 % of the travel span	
Pneumatic operation	Single acting Double acting	
Operating angle	095 °	

Environment

Ambient air temperature for operation	-40176 °F (-4080 °C) -4080 °C (-40176 °F)	
IP Degree of Protection	IP66	
Product certifications	ATEX INMETRO NEPSI PESO EAC KOSHA	

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	117
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.